



1/20

FIG. 1 PRIOR ART




2/20

FIG. 2 PRIOR ART




(b) 01001110110111001010010101010101



3/20

FIG. 3




4/20

FIG. 4

TWO-DIMENSIONAL MODULATION (6:9 MODULATION)		
INFORMATION DATA 6 BITS		MODULATED DATA OF 9 BITS (9 PIXELS)
000000	→	110001000
000001	→	110000100
000010	→	110000010
000011	→	110000001
100100	→	010001010
100101	→	010001001
100110	→	010000110
100111	→	010000101
⋮		


5/20

FIG. 5



6/20

FIG. 6



7/20

FIG. 7






FIG. 8




8/20

FIG. 9

TWO-DIMENSIONAL
MODULATION
(6:9MODULATION)


9/20

FIG. 10

TWO-DIMENSIONAL
MODULATION
(6:9MODULATION)

10/20


FIG. 1 1



11/20

FIG. 1 2

OVERSAMPLING



12/20

FIG. 1 3

LATTICE CONNECTION BASED ON ADDITION OF
DARK PIXELS ARRANGED IN J -SHAPE

TWO-DIMENSIONAL MODULATION (6:9 MODULATION)	
INFORMATION DATA OF 6 BITS	MODULATED DATA OF 9 BITS (16 PIXELS)
000000 →	
000001 →	
000010 →	
000011 →	
100100 →	
100101 →	
100110 →	
100111 →	
⋮	

13/20


FIG. 1 4

LATTICE CONNECTION BASED ON ADDITION OF
DARK PIXELS ARRANGED IN F-SHAPE

TWO-DIMENSIONAL MODULATION (6:9 MODULATION)	
INFORMATION DATA OF 6 BITS	MODULATED DATA OF 9 BITS (16 PIXELS)
000000 →	
000001 →	
000010 →	
000011 →	
100100 →	
100101 →	
100110 →	
100111 →	
⋮	


14/20

FIG. 1 5




15/20

FIG. 1 6



16/20


FIG. 1 7



17/20

FIG. 1 8


NONLINEAR OVERSAMPLING



18/20

FIG. 1 9


NONLINEAR OVERSAMPLING



19/20

FIG. 20

NONLINEAR OVERSAMPLING



20/20

FIG. 2 1

